GULNAY X-RAY GENERATORS • CONTROLLERS • TUBES

GX65

TECHNICAL SPECIFICATION







Maximum Power	3025 W
kV Range	5 – 65 kV
kV Accuracy	± 1% of Demand Value
kV Reproducibility	Better Than ± 0.01 kV
High Voltage Ripple	<5.0V/mA with 10M High Voltage Cable
mA Range	0 – 75 mA
mA Accuracy	± 0.5% of Demand Value
mA Reproducibility	Better Than 2µA
Input Voltage	220 V ± 10%, 47 – 63 Hz
Input Current	25 A at 220 V
Output Connector	R10/R24
Dimensions (W x H X D)	422 x 511 x 610 mm
Weight	75 kg
Storage Temperature	-40° C to + 70° C
Operational Temperature	0°C to + 40°C
Relative Humidity	95%
Duty Cycle	100%
Comms	Analogue / RS232 / RS422 / Ethernet

WWW.GULMAY.COM



The Gulmay GX Series is the latest high specification range of high-voltage generators ranging in output power from 3025W to 7500W. Designed for a wide range of applications, GX generators are available in output voltage configurations from 65KV up to 450KV.





GULMAY Limited Cyan House, 1 Canada Road, Byfleet, Surrey, KT14 7JL United Kingdom Telephone: +44 01932 339850



WWW.GULMAY.COM